

Notice of Allowability

Application No.

09/923,189

Examiner

Donald Heckenberg

Applicant(s)

STALLONE, DOMINICK V.

Art Unit

1722

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the amendment filed on March 31, 2004.
2. ☒ The allowed claim(s) is/are 6-8 (renumbered as 1-3).
3. ☒ The drawings filed on August 6, 2001 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|---|--|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____. |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____ | 7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input type="checkbox"/> Other _____. |

Art Unit: 1722

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The amendment filed on March 31, 2004 was not in proper form, as the amended abstract and claims were not started placed on separate sheets of paper. In order to clarify the record, the abstract and claims have been reproduced below (although no substantive changes to the claims have been made).

Art Unit: 1722

IN THE CLAIMS

Claims 1-5 (canceled)

6. (original) Apparatus for molding a concrete test cylinder, comprising in combination:

a concrete test cylinder mold having a top portion; and

a cap having at least one radial trough and at least one excretion hole positioned on said top portion, whereby excess concrete is channeled by said radial trough for excretion through said excretion hole in said cap.

7. (original) The apparatus of claim 6, further comprising:

said top portion of said concrete test cylinder mold having external threads; and

said cap having internal threads for engaging said external threads of said concrete test cylinder mold.

8. (original) The apparatus of claim 6, wherein said cap further comprises at least one handle.

Art Unit: 1722

IN THE ABSTRACT

The abstract reads as follows:

--A method and apparatus for molding a reproducible uniform concrete test cylinder. Concrete is poured into a concrete test cylinder mold. A cap having at least one excretion hole is placed on the top portion of the concrete test cylinder mold. The cap is pressed against the top portion of the concrete test cylinder mold thereby excreting excess concrete through the excretion hole in the cap. After the cap is separated from the poured concrete, the poured concrete is allowed to cure within the concrete test cylinder mold for a predetermined time. Then, the cured concrete is removed from the concrete test cylinder mold thereby producing a uniform and reproducible concrete test cylinder.--


2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Donald Heckenberg whose telephone number is (571) 272-1131. The examiner can normally be reached on Monday through Friday from 9:30 A.M. to 6:00 P.M.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wanda Walker, can be reached at (571) 272-1151. The official fax phone number for


Art Unit: 1722

the organization where this application or proceeding is assigned is (703) 872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <<<http://pair-direct.uspto.gov>>>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at (866) 217-9197 (toll-free).



Donald Heckenberg
April 14, 2004



JAMES P. MACKEY
PRIMARY EXAMINER

4/16/04